

FDA CE 0482

AGS-MEDICAL

Phone: +1-505-550-6501 or +1-505-565-5102

Fax: +1-505-814-5778

Email: sales@agsmedical.com

Website: <http://www.agsmedical.com>

Jumper[®]



Angelsounds Fetal Doppler

System Function

Angelsounds fetal doppler is a device that allows pregnant women and family members to hear the fetal heart beat at home. It is a marvelous gift for all expectant mothers in the world! With this device, you can hear the prenatal baby's heart beat as early as 16 weeks. The marvelous sounds will bring you more close to your coming baby. You can also record the fetal heart beat through the device or computer and play it to the new born baby to soothe and comfort the new-born.



JPD-100S
Model

“Mini Moisture Spring”—— The technology guides a new concept of “full absorption of water-replenishment”

According to the findings of scientific research, the poresize of female's delicate facial skin is 50 to 70 microns. Traditional atomization equipment is not able to atomize replenished liquid into such fine particles thus such liquid can only remain on skin surface. However, “MNI Skin Water-replenishing Device” can atomize replenished liquid into a nanometer level of 7 to 9 microns that is far smaller than pore size. It enables replenished liquid to be absorbed totally and virtually realize the new concept of “full absorption of water replenishment”.



“Mini Moisture Spring”
Sketch map for full
absorption of water
replenishment



● A good news for office beautiful ladies

Due to the fact that all office beautiful ladies who pursue their career have to sit in front of computers and under the air conditioning and their skins have few chances to contact with air because of makeup thus dry skin is inevitable. In addition they can only enjoy a mask after arriving home to take care of their tired faces.

Portable “Mini Moisture Spring” can be used at any time and will not have any influences on work. What's more, you can enjoy a facial SPA when making a telephone call.



传统面膜的吸收示意图

Traditional masks are not able to change the size of water molecules so they can only remain on the surface of skin and fail to be absorbed effectively.

● A beauty salon packed in ladies' bags

Ladies in modern urban have to face big working pressure and they have to spend a lot of money and time if they go to the professional beauty salon. Portable “Mini Moisture Spring” can help skin replenish water at any time and anywhere and is “a beauty salon packed in ladies' bags. No matter you are taking a subway or making a telephone call you can use it whenever or wherever you are willing to so as to virtually take care of ladies.



JPD-100N / Mini Moisture Spring

A revolutionary product of portable replenishment

The R&D and design of "Mini Skin Water-replenishing Device" are cooperated and finished by National Tsing Hua University, Taiwan Industrial and Technology Research Institute and Shenzhen Jumper Hi-tech Co., Ltd. This product adopts today's most advanced nanometer-atomization technology which enables liquid to be atomized into micron size and generates anion (equivalent to ten times of that of nearby waterfall) which is beneficial for human body to absorb. In addition, through electronic chip control, it atomizes replenished liquid into uniform nanoparticles which human's eyes cannot feel either. It is a revolutionary product that completely changes portable water replenishment and comprehensively enhances use value of facial water replenishment for ladies who pursue beauty according to the following three aspects!

- 1. Uniform nanometer fine spray achieves skin's full absorption effect.
- 2. small, fashionable, portable and ready to use
- 3. water replenishment can be made after makeup, which has no impact on makeup look



JPD-100Smini
Model



JPD-100S3
Model





JPD-100S4
Model

Use Method

1. Check the weekly diagram (see below) to find the best location for you to move the transducer over.
2. Move the transducer slowly over the lower part of the abdomen.
3. It may take time to hear the heartbeat depending on your pregnancy cycle and the position of the fetus.
4. You may be necessary to angle the transducer slightly to collect the optimum signal.
5. Angel sounds should be used slowly and after each movement you should stop for a few seconds for a clear sound.
6. By using an ultrasound gel (Aquasonic) will pick up the signal easily.

The best period of time to hear fetal heart rate movement are:

- (1) Within 30 minutes after the pregnant woman gets up in the morning.
- (2) Within one hour after the pregnant woman has lunch.
- (3) 30 minutes before pregnant woman goes to bed at night.
- (4) A full bladder can help improve the sounds heard especially in early stages of pregnancy.



Differences Between the Four Models

Model	Screen	Loudspeaker	Headphone	Music
100Smini	No	No	Yes	No
100S	No	No	Yes	No
100S3	No	Yes	No	Yes
100S4	LCD screen	Yes	No	Yes

JPD-FR100 / Forehead thermometer

Brief Introduction

Forehead type infrared thermometer is a thermometer that measures the temperature of the human body according to the principle of receiving infrared. When using, it is only required to align the detection window to measure the body temperature quickly and accurately.



Product Features

- Infrared technology specially designed to take the forehead temperature of a person.
- Specially designed to take the milk temperature.
- Allows for continuous temperature taking.
- Capable of storing 20 sets of measurement data.
- No contact hence no need to disinfect after use (no probe to change).
- Bi-color/Tri-color Back-lighted LCD Screen.
- For different colors of person skin.
- Providing two temperature modes °F/°C.
- Fever alarm function for forehead temperature test.

Main Technical Indicators

- LCD display resolution (definition) : 0.1.
- Range of measurement:
- Body temperature: 32.0°C - 42.2°C.
- Milk temperature: 0.0°C - 100.0°C
- Measurement error: ± 0.3°C.
- Repeatability: ± 0.2°C
- Measurement time: 0.5s.
- Measurement distance: 10. mm ~ 100mm.
- Auto-shutdown time: 10s.



JPD-MT100 / Digital Thermometer

Brief Introduction

Digital thermometer is using for measuring the temperature of human body according to the temperature of the root of tongue or the Axillary.




Product Features

- Soft Probe, flexible use, special designed for the babies, more safe and comfortable.
- Accuracy reach up to: $\pm 0.1^{\circ}\text{C}$.
- About 8 seconds testing time.
- Bri-color/Tri-color Back-light LCD Screen.
- Big LCD display and Memory function.
- Oral & Axillary temperature testing.
- Fever alarm function.
- Waterproof design.
- $^{\circ}\text{F}/^{\circ}\text{C}$ Unit for choose.

Main Technical Indicators

- LCD display resolution (definition) : 0.1.
- Range of measurement:
- Body temperature: $32.0^{\circ}\text{C} - 42.9^{\circ}\text{C}$.
- Measurement error: $\pm 0.2^{\circ}\text{C}$.
- Repeatability: $\pm 0.2^{\circ}\text{C}$
- Measurement time: 8 seconds.
- Auto-shutdown time: 3 minute.



JPD-500A / Pulse Oximeter

System Function

- 1.Can be used in:hospital,home,community medical treatment, sports healthcare,etc.
- 2.Can measure SPO2 and PR accurately
- 3.SPO2 and PR display,PR waveform and bargraph display
- 4.Low battery indicator
- 5.Four directions and eight display modes
- 6.Low power consumption;Auto power off when no signal.
- 7.Pulse sound function
- 8.Alarm function
- 9.Small volume、 light、 convenient to carry



Use Method

- 1.Install two AAA batteries into battery compartment correctly.
- 2.Place clamp over finger nail as the following diagram.
- 3.Insert one finger into rubber hole of the Oximeter fully.
- 4.Press the switch once on the front panel.
- 5.Finger and body should not tremble during measuring.
- 6.Read correspondent data from display screen.



JPD-900W / Blood Pressure Monitor (Wrist type)

System Function

JUMPER Wrist Fully Automatic Blood Pressure Monitor is for use by medical professionals or at home and is a non-invasive blood pressure measurement system intended to measure the diastolic, systolic blood pressures and pulse rate on adult individual by using a non-invasive technique in which an inflatable cuff is wrapped around the wrist. The cuff circumference is limited to 6.1023 inches to 9.8425 inches.



Use Method

1. Keep the palm upwards and fit it at the position 1 cm away from the wrist.
2. Press and hold the upper side by the right thumb and pull upwards (Do not make it too tight or loose).
3. Measuring of position: keep the palm upward and relax, put the left hand on the hard box (the hard box couldn't have force to the belt) and keep the position of cuff at the same height with your heart.

It might not get the right measurement value if the cuff is not fit properly.

JPD-900A / Blood Pressure Monitor (Arm type)

System Function

JUMPER Arm Blood Pressure Monitor is intended for use by medical professionals or at home to monitor and display diastolic, systolic blood pressure and pulse rate on adult each time, with an air cuff buckled around one's arm according to the instruction in the user's guide manual.



Use Method

Arm cuff connecting should make arm feel no much tension. Don't connect too tense (otherwise the measurement will be not precise). Keep up right position on the same height of heart.



Step-1



Step-2



Make sure that your posture is correct
Level the blood pressure monitor to your heart.